











**Garden bed 16: Kareena Road Garden bed.** This is a small Garden bed adjacent to the fence at Kareena Road, just above the workshed.





AREA A




Family: Theaceae

Code Number	Camellia Name	Flower Photo (if available)	Description, Origin and Registration Number	Flowering Period
CGN0230 R	<i>C. japonica</i> 'Momoiro-bokuhan' (trans. 'Peach Coloured Anemone')		Small anemone form, deep pink, 5 petals and a cushion of small folded petaloids similar to <i>C. japonica</i> 'Bokuhan' (see Garden bed 6).  1960, Katayama, originated in the Kansai area of Japan.	June to August
CGN0293	<i>C. yuhsienensis</i>  Section: Paracamellia	   <small>© www.camelliasrus.com.au</small>  Lower photo courtesy of Camellias-R-Us Nursery Glenorie.	Single to semi-double blooms white ranging 6.5 to 9 cms in diameter, borne at the clusters of twigs and leaf axils. Leaves downward hanging, ovate to broadly elliptic. Species is valued for its flower fragrance, landscape qualities and for exhibition sprays.  1965, Hu, native to Huhan, Hubei and Guangdong Provinces, China	Late May to July

CGN0297	<i>C. japonica</i> 'Mrs H. Boyce'		<p>Medium to large formal double, pale pink edged white. A sport of <i>C. japonica</i> 'Paolini Maggi'.</p> <p>1900, Cremorne Nursery Co., Sydney, NSW.</p>	July to September
CGN0300	<i>C. crapnelliana</i>  Section: Furfuracea	  <p>Large seed capsule of <i>C. crapnelliana</i> (photo below)</p>	<p>Single white flowers between 7 to 11 cms in diameter, between 5-8 petals, light musky fragrance. Interesting botanical features of this species include rust brown bark and large ovoid seed capsules.</p> <p>1904, Tutchter, native to Guangdong Province and Hong Hong, China.</p>	June to July
CGN0301	<i>C. japonica</i> 'Gwenneth Morey'		<p>Medium anemone form, 10 outer white petals with deep cream to pale primrose yellow petaloids. Almost identical to <i>C. japonica</i> 'Brushfield's Yellow' depending on the degree of yellow in outer guard petals.</p> <p>1973, Dr. B. R. Morey, NSW. Reg. No. 898.</p>	June to early August

CGN0307 R	<p><i>C. japonica</i> 'Rena Swick Variegated'</p>		<p>Large semi-double bright pink with dark veining, mottled white. Features 30-35 petals and bright yellow stamens.</p> <p>1964, US, <i>C. japonica</i> 'Rena Swick' originated in 1960 by Julington Nurseries, Jacksonville Florida US. Reg. No. 485.</p>	June to early August
CGN0308	<p><i>C. sasanqua</i> 'Lucinda Alba' or 'Lucinda White'</p> <p>NB nomenclature code now disallows latin in cultivar names, hence 'Lucinda White' is more acceptable.</p>		<p>Medium semi double white sport of <i>C. sasanqua</i> 'Lucinda' (see Garden bed 14).</p> <p>1997, Dancraft Nurseries Catalogue, Wilberforce, NSW.</p>	May to July
CGN0309	<p><i>C. japonica</i> 'Kumasaka'</p> <p>(named after a character in Kabuki theatre who was an infamous robber)</p>		<p>Variable flower form ranging from peony to semi-double form, pink to deep rose. Two rows of outer petals, and inner petals small and irregular dividing the stamen.</p> <p>1695, Itô, Ihei, originating in Kantô, Japan.</p>	Late June to August

CGN0310 R	<p><i>C. japonica</i>  ‘Mihata’  (trans. ‘Royal Japanese Flag’)</p>		<p>Large single, HIGO-like flower, deep crimson petals with wavy edges. Sometimes anthers change to small flags changing centre more to anemone.</p> <p>1934-35, Chûgai Nursery Catalogue, Japan.</p>	June to August
CGN0316	<p><i>C. japonica</i>  ‘Mermaid’</p>	 	<p>Medium to large semi- double, carmine pink with dark veins. Central stamens with filaments pink at base. Glossy leaves have a forked tip and tend to bend and twist.</p> <p>1947, originated by F. M. Uyematsu of Star Nursery, Montebello, California, US.</p>	June to August
CGN0317	<p><i>C. japonica</i>  ‘Hikarugenji’</p>	 <p>Photo courtesy of Jim Powell, Camellias Australia.</p>	<p>Medium to large peony form double, dark rose, broadly margined white, with a few streaks of deep crimson reaching to petal edge and veining of deep crimson in the deeper coloured areas of petals.</p> <p>1859, Kusuya, Kamegorô, Japan.</p>	June to August

CGN0318	<i>C. japonica</i> 'Edith Linton' with sports		<p>Medium semi-double silvery pink with stamens and central petals intermingled. This specimen from the Walter Hazlewood collection throws sports. A sport of <i>C. japonica</i> "Jean Lyne".</p> <p>1941, Hazlewood Nursery Catalogue, raised by Alexander Hunter at Camellia Grove Ashfield and transplanted to Kewita, Somersby, NSW.</p>	June to early September
CGN0324	<i>C. japonica</i> 'Zambo'		<p>Medium to large formal double, purple crimson, veined darker red.</p> <p>1874, Shepherd and Co. Nursery Catalogue, NSW.</p>	July to early September
CGN0325	<i>C. japonica</i> 'Jeanette Batley'		<p>Large white informal double with prominent yellow stamens.</p> <p>1967, originated by Windemeyer, Lindfield, NSW. Reg. No. 82.</p>	July to early September