





















Cultivar	Photo	Description	Number available	Price each
<i>C. japonica</i> 'Southern Charm'		Beautiful large white semi-double with occasional petaloids. Glossy leaves. 1956 Fisher (US) Very rare in Australia, saved from complete loss by Camellia Ark.	1	\$10
<i>C. japonica</i> 'Tricolor (Seibold)'		Famous old European semi-double dating back to 1835. Semi-double white with vibrant red and rose pink stripes. Siebold and Zuccarini 1835	1	\$10
<i>C. japonica</i> 'Mihata' (Royal Japanese Flag)		Large single, HIGO-like flower, deep crimson petals with wavy edges with anthers like small flags. 1934-35, Chûgai Nursery Catalogue, Japan.	1	\$10
<i>C. sasanqua</i> 'Willow Leaf'		Large white single sasanqua with occasional pink margin. Landscape feature with lanceolate leaves and weeping willowy habit. 1942-43, Overlook Nurseries US. Rare in Australia.	3	\$10
<i>C. sasanqua</i> 'Mikunikô' (trans. National Red)		Wonderful carmine red Japanese sasanqua distinguished by 'Ace of Hearts' shaped petals. Small leaves, vigorous growth 1841, Yashiro, Japan Has disappeared from Australian nurseries for	1	\$10

		decades.		
<i>C. sasanqua</i> 'Briar Rose'		Deep pink to purple semi-double released by Coolidge Rare Plants Gardens Catalogue in the US in 1936. Only two specimens were formerly known in Australia.	3	\$10
<i>C. vernalis</i> (Chinese specimen)		Vigorous rose semi-double, apparently collected in China. Little else known but extremely vigorous and of value for breeding purposes.	2	\$10
<i>C. kissi</i>		Small cream white flower (some with greenish cast) up to 4cm in diameter with 5-8 petals. Some fragrance. Elliptic to broadly elliptic leaves. Shrub or small tree. Widely distributed through Asia.	2	\$10
<i>C. saluenensis</i> hybrid 'Olé'		Rich orchid pink, rose form double, low compact growth. 1980, Nuccio's Nursery Catalogue Not released to Australian nurseries	2	\$15
<i>C. japonica</i> 'Cassandra'		Large red crimson of basic anemone form, by Australian pioneer grower Sir William Macarthur 1849, Camden Park Estate, NSW. Australian historic camellia, specimens only in botanical gardens and parks.	1	\$15

<p><i>C. japonica</i> 'Hiodoshi' (Scarlet Menace)</p>		<p>Single scarlet flower up to 10 cm across with 6-9 petals. About 120 stamens appearing in a boss of open spreading burst white filaments. Leaves dark green and slightly crinkled.</p> <p>1912, Taniguchi, Japan One of rarest HIGOs in Australia</p>	2	\$25
<p><i>C. x williamsii</i> 'Ruby Bells' (medium advanced)</p>		<p>Small deep red seedling cross between <i>C. saluenensis</i> and <i>C. japonica</i> 'Fuyajo' from New Zealand (1982).</p> <p>Not rare but not yet widespread, a surprise finding in our collection in a more advanced size.</p>	2	\$25
<p><i>C. puniceiflora</i> 'Alba' form</p>		<p>White form of this species, found in Zhejiang Province China, commonly used for oil.</p> <p>Pink form of species identified in 1981, this variation sent to Australia by Chinese botanist Professor Gao (who has confirmed ID).</p>	1	\$25
<p><i>C. japonica</i> 'Hinomaru' (Round of the Sun)</p> <p>Advanced specimens</p>		<p>Single, up to 10 cm across, cinnabar red, 6 petals (a little wavy), pale red filaments in stamens.</p> <p>1912, Taniguchi, originating in Kumamoto Prefecture, Japan and extremely popular. One of the rarest HIGOs in Australia.</p>	2	\$30

<p><i>C. japonica</i> 'Jinpan Lizhi'</p> <p>(Gold Tray Lichi) Formerly known as our 'Chuxiong camellia'</p> <p>Advanced specimens</p>		<p>Unusual red anemone form, small to medium flower with oblong petals.</p> <p>First named formally in 1981 but widely grown for centuries across China.</p>	3	\$30
<p><i>C. japonica</i> 'Imperial Splendour'</p> <p>Advanced specimens</p>		<p>Dark red with occasional purple tinged, semi-double to incomplete informal double with bright golden yellow anthers.</p> <p>1981, developed by Australian grower Tom Savage.</p>	2	\$35
<p><i>C. japonica</i> 'Lady Winneke'</p> <p>Advanced specimens</p>		<p>Lovely medium blood red anemone form, a seedling of the well- known 'Bokuhan' or 'Tinsie'.</p> <p>Originated by grower Len Hobbs in 1981, very rare outside of a few collections in Victoria.</p>	2	\$40
<p><i>C. gauchowensis</i></p> <p>Advanced specimen</p>		<p>Large <i>Gordonia</i> like flowers, also cultivated for oil production</p> <p>Species from Guangdong Province China, first named in 1961.</p>	1	\$40
<p><i>C. edithae</i> Var. 'Momudan'</p> <p>Advanced specimens</p>		<p>Wonderful species with light green leaves. Soft hairs (villous) on leaves and brown twigs. Double dark red flowers with occasional white blotch.</p> <p>Native to Jiangxi and Fujian Provinces China.</p>	2	\$45

<p><i>C. japonica</i> 'Frizzle White'</p> <p>Advanced specimens in tubs</p>		<p>Semi-double up to 11 cm across, pure white with wavy petals, numerous yellow stamens.</p> <p>1940-41, Overlook Nursery Catalogue, Mobile, Alabama.</p>	2	\$50